

## Bacton Parish Council Safety Risk Assessment Cow Green.

### Risk Assessment:

<b>Visitors to Cow Green</b> <b>The following risks apply to all activities carried out within the Playing field</b>	<b>Severity:</b> 1. Slight (minor injury, first aid required). 2. Moderate (minor injury, first aid/medical attention). 3. Serious (injury, medical attention, 7 day absence). 4. Major (serious injury/death). 5. Catastrophic (number of casualties/deaths).				<b>Severity</b>			<b>LOW (1-4):</b> May be ignored  <b>MEDIUM (5-9):</b> Control measures Required  <b>HIGH (10+):</b> Design out if possible	
		<b>4</b>	<b>5</b>	<b>1</b>	<b>2</b>	<b>3</b>			
		<b>Probability</b>		<b>5</b>	<b>5</b>	<b>10</b>			
		15	20	25	5	10			
		16	20	4	8	12			
		12	3	3	6	9			
		8	15	2	4	6			
		8	10	2	4	6			
		4	1	1	2	3			
		4	5	1	2	3			
Hazard	Potential injury....	Initial Assessment			Control Measure	Residual Assessment			Monitoring and Further Action Required
		Pr ob a b i l i t y	Sev e r i t y	R i s k		Pr ob a b i l i t y	Sev e r i t y	R i s k	
Trip hazards from uneven ground or obstructions concealed by vegetation	Cuts, bruises, abrasions or musculo-skeletal injuries.	2	2	4	Maintain mown walkways for pedestrian use as required.	1	2	2	Weekly inspection by Parish Warden, reporting to regular Parish Council meetings.
Pond	Drowning from falling into water	2	4	8	Maintain mown verge around pond to allow visibility of water's edge. Lifebelt positioned next to pond.	1	4	4	Weekly visual inspection by Parish Warden reporting to regular Parish Council meetings.

### Bacton Parish Council Safety Risk Assessment Cow Green.

Private vehicles driving on the green	Collision/contact injuries	2	4	8	'No parking' signs erected to discourage vehicles being driven onto green	1	4	8	Weekly visual inspection by Parish Warden reporting to regular Parish Council meetings.
Operation of vehicles or machinery by contractors	Collision/contact injuries	2	4	8	Contractor to operate safely and work in accordance with risk assessments	1	4	4	Contractors' risk assessments and procedures reviewed annually by Parish Council
Hazard	Potential injury	Initial Assessment			Control Measure	Residual Assessment			Monitoring and Further Action Required
		Pr ob abi lity	Sev erity	Ris k		Pr ob abi lity	Sev erity	Ri sk	
Damaged or faulty fixed furniture	Cuts, bruises etc from contact with faulty furniture or falls from bench	2	4	8	Bench is bolted to the ground. Faulty or damaged equipment repaired or replaced.	1	3	3	Weekly visual inspection by Parish Warden, reporting to regular Parish Council meetings.
Overhanging or fallen tree branches	Cuts, bruises, abrasions etc	2	3	3	Trees maintained as required by approved and qualified contractor	1	3	3	Weekly visual inspection by Parish Warden reporting to regular Parish Council meetings. Annual inspection by qualified contractor reporting to Parish Council.

RA adopted on 20 01 2020 minute ref 200120/22

Re-adopted on 20 07 2020 minute ref

Assessment by: Maximillian Clay

Adopted 23rd June 2023 Minute ref: 10c